Issue # 280
November

J. Bachiochi: Robot Simulation (Part 2): Translating RobotBASIC

PROJECT FILES

To download the code, go to ftp://ftp.circuitcellar.com/pub/Circuit_Cellar/2013/280

RESOURCES

J. Bachiochi, "Robot Simulation (Part 1): RobotBASIC Basics," *Circuit Cellar* 279, 2013

J. Blankenship and S. Mishal, *Robot Programmer's Bonanza*, Mc-Graw Hill, 2008

———, "The RROS User's Manual: A RobotBASIC Robot Operating System," 2012, www.robotbasic.org/resources/RROS_Users_Manual.pdf

RobotBASIC, www.robotbasic.org

———, "The RobotBASIC Robot Operating System (RROS)," www.robotbasic.org/6.html

SOURCES

Create programmable robot
iRobot Corp. | www.irobot.com

PIC18F2450 Microcontroller, PICBASIC Pro compiler, and MPLAB IDE
Microchip Technology, Inc. | www.microchip.com

PICBASIC PRO Compiler
microEngineering Labs, Inc. | www.melabs.com

RN-42 Bluetooth module
Roving Networks, Inc. | www.rovingnetworks.com

Ed Nisley: Low-Loss Hall Effect Current Sensing

RESOURCES

Honeywell, Inc., "Hall Effect Sensing and Application," http://sensing.honeywell.com/index.php?ci_id=47847

E. Nisley, "Hall Effect Sensor Calibration," *Circuit Cellar* 274, 2013

———, "MOSFET Channel Resistance: Tester Hardware," *Circuit Cellar* 265, 2012

———, "Solar Data Logger (Part 2): Data Points: Tester Hardware," *Circuit Cellar* 227, 2009

Copyright Notice Entire contents copyright © 2013 by Circuit Cellar, Inc. 111 Founders Plaza Ste. 300, East Hartford, CT 06108, USA. All rights reserved. Circuit Cellar is a registered trademark of Circuit Cellar, Inc. Disclaimer Circuit Cellar® makes no warranties and assumes no responsibility or liability of any kind for errors in these programs or schematics or for the consequences of any such errors. The information provided by Circuit Cellar® is for educational purposes.

SOURCES
Current sensor ICs
Allegro MicroSystems, LLC | www.allegromicro.com/Products/Current-Sensor-ICs.aspx

SS49E Linear position sensors
Honeywell, Inc. |
http://sccatalog.honeywell.com/imc/printfriendly.asp?FAM=solidstate&PN=SS49E

MAX4372X Amplifier and MAX4330 op-amp
Maxim Integrated | www.maximintegrated.com

Wouxun KG-UV3D Hand-held amateur radio and Wouxun Li-ion battery pack
Powerwerx | www.powerwerx.com/two-way-radios/handheld-wouxun-radios/wouxun-high-capacity-lithium-battery-pack.html

SMD-to-DIP adapters
SchmartBoard | www.schmartboard.com

TS1100 Current-sense amplifier
Touchstone Semiconductor, Inc. | http://touchstonesemi.com/products/ts1100

Computerized Battery Analyzers
West Mountain Radio | www.westmountainradio.com

G. Novacek: Battery Basics (Part 3): Battery Management ICs

PROJECT FILES
To download the code, go to ftp://ftp.circuitcellar.com/pub/Circuit_Cellar/2013/280

REFERENCE
[1] M. Brain, "How Lithium-ion Batteries Work," HowStuffWorks, Inc., http://electronics.howstuffworks.com/everyday-tech/lithium-ion-battery2.htm

RESOURCES
Linear Technology, Corp., "LT1510/LT1510-5 Constant-Voltage/Constant-Current Battery Charger," 1995, http://cds.linear.com/docs/en/datasheet/1510fc.pdf

G. Novacek, "Battery Basics (Part 1): Battery Types," *Circuit Cellar* 278, 2013

———, "Battery Basics (Part 2): Battery Back Up Power," *Circuit Cellar* 279, 2013

Texas Instruments, Inc., "Sealed Lead-Acid Battery Charger," 2013, www.ti.com/lit/ds/symlink/uc2906.pdf

———, "Improved Charging Methods for Lead-Acid Batteries Using the UC3906," Unitrode Application Note U-104, 1999, www.ti.com/lit/an/slua115/slua115.pdf

———, "LM2576, LM3420, LP2951, LP2952 Battery Charging," Literature Number SNVA557, 2011, www.ti.com/lit/an/snva557/snva557.pdf

Copyright Notice Entire contents copyright © 2013 by Circuit Cellar, Inc. 111 Founders Plaza Ste. 300, East Hartford, CT 06108, USA. All rights reserved. Circuit Cellar is a registered trademark of Circuit Cellar, Inc. Disclaimer Circuit Cellar® makes no warranties and assumes no responsibility or liability of any kind for errors in these programs or schematics or for the consequences of any such errors. The information provided by Circuit Cellar® is for educational purposes.

Ayse K. Coskun: Application-Aware Power Capping

REFERENCES

[1] S. Qazi, "Idle Cycle Injector for Power Capping," LWN.net, 2010, http://lwn.net/Articles/383338

[2] Christian Bienia, PhD thesis, Princeton University, 2011.

[3] S. Reda, R. Cochran, and A. K. Coskun, "Power Capping for Servers with Multithreaded Workloads," *IEEE* Micro, 2012.

[4] C. Hankendi, S. Reda, and A. K. Coskun. "vCap: Adaptive Power Capping for Virtualized Servers," International Symposium on Low Power Electronics and Design (ISLPED), 2013.

SOURCES

34134A Hall-effect clamp ammeter and 34410 multimeter
Agilent Technologies, Inc. | www.agilent.com

Core i7 processor
Intel Corp. | www.intel.com

PRO ES Power meter
Watts up? | www.wattsupmeters.com

Dick Cappels: Analog Serial Communication Duplex Data and Power Over One Pair of Wires

RESOURCES

AttoBasic BASIC interpreter, http://cappels.org/dproj/AttoBasic_Home/AttoBasic_Home.html

Maxim Integrated, 1-Wire Tutorial, www.maximintegrated.com/products/1-wire/flash/overview/index.cfm

SOURCES

ATmega8515 Microcontroller
Atmel Corp. | www.atmel.com

KA34063 Switched-mode power supply controller and FDS8958A dual-channel MOSFET
Fairchild Semiconductor Corp. | www.fairchildsemi.com

1-Wire Interface and MAX201 Driver/receiver
Maxim Integrated | www.maximintegrated.com

David Cass Tyler: Calibration (Part 1): Linear ADCs and DACs

PROJECT FILES

To download the code, go to ftp://ftp.circuitcellar.com/pub/Circuit_Cellar/2013/280

REFERENCES

Copyright Notice Entire contents copyright © 2013 by Circuit Cellar, Inc. 111 Founders Plaza Ste. 300, East Hartford, CT 06108, USA. All rights reserved. Circuit Cellar is a registered trademark of Circuit Cellar, Inc. Disclaimer Circuit Cellar® makes no warranties and assumes no responsibility or liability of any kind for errors in these programs or schematics or for the consequences of any such errors. The information provided by Circuit Cellar® is for educational purposes.

[1] K. Wada, "Bit-Banging a Digital-to-Analog Converter," *Embedded*, 2013, www.embedded.com/electronics-blogs/embedded-round-table/4410712/Bit-banging-a-digital-to-analog-converter?cid=Newsletter+-+Whats+New+on+Embedded.com

[2] National Instruments, Corp., "Understanding Instrument Specifications—How to Make Sense Out of the Jargon," 2007, www.ni.com/white-paper/4439/en

RESOURCE
Cals.exe and ReCal.exe, The Control Freak, www.the-control-freak.com

SOURCE
Rabbit BL2100 Single-board computer
Digi International, Inc. | www.digi.com

Graig Pearen: Solar Array Tracker (Part 2): SunSeeker Software and Installation

PROJECT FILES
To download the code, go to ftp://ftp.circuitcellar.com/pub/Circuit_Cellar/2013/280

Copyright Notice Entire contents copyright © 2013 by Circuit Cellar, Inc. 111 Founders Plaza Ste. 300, East Hartford, CT 06108, USA. All rights reserved. Circuit Cellar is a registered trademark of Circuit Cellar, Inc. Disclaimer Circuit Cellar® makes no warranties and assumes no responsibility or liability of any kind for errors in these programs or schematics or for the consequences of any such errors. The information provided by Circuit Cellar® is for educational purposes.