

Issue # 282
January**CC World**

Elektor Q-watt Amplifier - construction tips, <http://youtu.be/7pPDXuZxAg8>

Cornell University Professor Bruce Land's YouTube page,
www.youtube.com/user/ece4760/videos

Dean Boman: Real-Time Monitoring System**PROJECT FILES**

To download the code, go to ftp://ftp.circuitcellar.com/pub/Circuit_Cellar/2013/282

RESOURCE

R. L. Nisonger and R. D. Ervin, "Measurement of Ride Vibrations on Semitrailers Incorporating Different Suspensions," Highway Safety Research Institute, University of Michigan, 1979,
<http://deepblue.lib.umich.edu/bitstream/handle/2027.42/517/42600.0001.001.pdf?sequence=2>

SOURCES

MMA1250 Micromachined accelerometer
Freescale Semiconductor, Inc. | www.freescale.com

HDM16216H-4 LCD
Hantronix, Inc. | www.hantronix.com

MAX232 RS-232 Drivers/receivers
Maxim Integrated | www.maximintegrated.com

Positive Etching Process
MG Chemicals | www.mgchemicals.com

PIC18F2620 Processor, TC77 temperature sensor, and MPLAB IDE
Microchip Technology, Inc. | www.microchip.com

Dave Erickson: Multi-Zone Home Audio System (Part 1): Analog Circuit Boards**PROJECT FILES**

To download the code, go to ftp://ftp.circuitcellar.com/pub/Circuit_Cellar/2013/282

RESOURCE

Atollic, www.atollic.com

SOURCES

Cortex-M3 processor

Copyright Notice Entire contents copyright © 2013 by Circuit Cellar, Inc. 111 Founders Plaza Ste. 300, East Hartford, CT 06108, USA. All rights reserved. Circuit Cellar is a registered trademark of Circuit Cellar, Inc. Disclaimer Circuit Cellar® makes no warranties and assumes no responsibility or liability of any kind for errors in these programs or schematics or for the consequences of any such errors. The information provided by Circuit Cellar® is for educational purposes.

ARM, Ltd. | www.arm.com

V7812-500 Output current
CUI, Inc. | www.cui.com

MiniBoard PCB
ExpressPCB | www.expresspcb.com

MC68HC11 Microprocessor
Freescale Semiconductor, Inc. | www.freescale.com

MCP23008 I2C to GPIO
Microchip Technology, Inc. | www.microchip.com

MT8808 Analog crosspoint switch
Microsemi Corp. | www.microsemi.com

Visio diagramming and vector graphics application
Microsoft Corp. | www.microsoft.com

STM32VLDISCOVERY board, STM32F100 processor, TDA7439D preamplifier, and STA540 power amplifier
STMicroelectronics | www.st.com

74HC4051 CMOS, 74HC4052 multiplexor, LM3886 amplifier, 7912 linear regulator, and NE5532 op-amp
Texas Instruments, Inc. | www.ti.com

Jaromir Sukuba: Hand-Held PIC IDE

PROJECT FILES

To download the code, go to ftp://ftp.circuitcellar.com/pub/Circuit_Cellar/2013/282

RESOURCES

J. B. Peatman, Coin-Cell-Powered Embedded Design, Qwik&Low Books, 2008

Microchip Technology, Inc., "On-Chip Debugger Specification," Application Note DS51242A, 2001, <http://ww1.microchip.com/downloads/en/DeviceDoc/51242a.pdf>

———, Flash Microcontroller Programming Specification: PIC18F2XXX/4XXX Family," Application Note DS39622, 2010, <http://ww1.microchip.com/downloads/en/DeviceDoc/39622L.pdf>

Jaromir Sukuba, uBASIC, BASIC interpreter, www.jaromir.xf.cz

SOURCES

chipKIT Max32 Development board
Digilent, Inc. | www.digilentinc.com

FT232 USART

Future Technology Devices International (FTDI) | www.ftdichip.com

PIC18 Microcontroller family, PIC24 and PIC32 microcontrollers, dsPIC33 digital signal controller, and MCP73831 Li-ion/Li-polymer charge management controller
Microchip Technology, Inc. | www.microchip.com

74LVC1T45 Bus drivers

Texas Instruments, Inc. | www.ti.com

Jeff Bachiochi: DC Servomotors**PROJECT FILES**

To download the code, go to ftp://ftp.circuitcellar.com/pub/Circuit_Cellar/2013/282

RESOURCE

J. Bachiochi, "Unleash Your Android Device's Potential," *Circuit Cellar* 281, 2013

SOURCES

SS340RT/SS440R Unipolar digital Hall-effect sensor ICs
Honeywell International, Inc. | www.sensing.honeywell.com

Torxis servomotor

Invenscience LC | www.invenscience.com

PIC12F1822 Microcontroller and PICBASIC compiler

Microchip Technology, Inc. | www.microchip.com

BD6221HFP Motor driver

ROHM Semiconductor USA, LLC | www.rohm.com

Vex-RC Transmitter and receiver and VEXnet joystick

VEX Robotics, Inc. | www.vexrobotics.com

Ayse K. Coskun: Going 3-D for Energy Efficiency**REFERENCES**

- [1] A. K. Coskun, J. Meng, D. Atienza, and M. M. Sabry, "Attaining Single-Chip, High-Performance Computing Through 3-D Systems with Active Cooling," *IEEE Micro*, 2011
- [2] M. M. Sabry, A. Sridhar, J. Meng, A. K. Coskun, and D. Atienza, "GreenCool: An Energy-Efficient Liquid Cooling Design Technique for 3-D MPSoCs Via Channel Width Modulation," *IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems*, 2013
- [3] J. Meng, K. Kawakami, and A. K. Coskun, "Optimizing Energy Efficiency of 3-D Multicore Systems with Stacked DRAM under Power and Thermal Constraints," *Design Automation Conference (DAC)*, 2012

RESOURCES

A. K. Coskun's Research Group, "HotSpot Extension for 3-D Detailed Modeling," Boston University Electrical and Computer Engineering Department,
www.bu.edu/peaclab/HotSpot_Detailed3D_ver_1.2.zip

The gem5 Simulator System, www.m5sim.org

Hewlett-Packard Development Company, McPAT (Multicore Power, Area, and Timing),
www.hpl.hp.com/research/mcpat

MARSSx86 (Micro-ARchitectural and System Simulator for x86-based Systems),
<http://marss86.org>

The Sniper Multi-Core Simulator, <http://snipersim.org>

Tezzaron Semiconductor Corp., 3-D systems, www.tezzaron.com

University of Maryland, DRAMSim2 open-source JEDEC DDRx memory system simulator,
<https://wiki.umd.edu/DRAMSim2>

University of Virginia, HotSpot thermal simulation tool, <http://lava.cs.virginia.edu/HotSpot>

Wikipedia, "M/D/1 queue," http://en.wikipedia.org/wiki/M/D/1_queue

SOURCE

Virtex-7 FPGA family
Xilinx, Inc. | www.xilinx.com

Ed Nisley: Arduino MOSFET Power Switch**RESOURCES**

Atmel Corp., ATmega microcontrollers,
www.atmel.com/products/microcontrollers/avr/megaAVR.aspx

E. Nisley, "Real-Life VHF Data Transmission Understanding and Using the APRS," *Circuit Cellar* 245, 2010

———, "Arduino Survival Guide Power Supply," *Circuit Cellar* 269, 2012

———, "Pulsed LED Characterization," *Circuit Cellar* 278, 2013

———, "Low-Loss Hall Effect Current Sensing," *Circuit Cellar* 280, 2013

E. Nisley, "3-D Printed PCB Stiffening Bracket," 2013, <http://softsolder.com/2013/10/02/3d-printed-pcb-stiffening-bracket>

———, "LED + Photodiode Test Fixture," 2013, <http://softsolder.com/2013/05/23/led-photodiode-test-fixture>

———, "KG-UV3D GPS+Voice Interface: APRS Bicycle Mobile," 2012,
<http://softsolder.com/2012/09/11/kg-uv3d-gpsvoice-interface-aprs-bicycle-mobile>

SOURCES

Arduino Pro Mini
Arduino | <http://arduino.cc>

EAGLE schematic and PCB software
CadSoft | www.cadsoftusa.com

FDS6675 MOSFET
Fairchild Semiconductor | www.fairchildsemi.com

LTspice IV
Linear Technology Corp. | www.linear.com

Pushbutton Power Switch SV
Pololu Corp. | www.pololu.com

Useless Machine Kit
Maker Shed | www.makershed.com

M Series 3-D Printers
MakerGear, LLC | www.makergear.com

George Novacek: System Safety Assessment

RESOURCES

G. Novacek, "Product Reliability (Part 1): Reliability Prediction," *Circuit Cellar* 268, 2012

———, "Product Reliability (Part 2): The Meaning of Failure Rate," *Circuit Cellar* 269, 2012

———, "Failure Mode and Criticality Analysis," *Circuit Cellar* 270, 2013

———, "Quality and Reliability in Design," *Circuit Cellar* 272, 2013

SAE International, "A System-Safety Process for By-Wire Automotive Systems," Paper 2000-01-1056, 2000, <http://papers.sae.org/2000-01-1056>

———, "Certification Considerations for Highly Integrated or Complex Aircraft Systems," Standard ARP4754, 1996, <http://standards.sae.org/arp4754>

———, "Guidelines and Methods for Conducting the Safety Assessment Process on Civil Airborne Systems and Equipment," Standard ARP4761, 1996,
<http://standards.sae.org/arp4761>

US Department of Defense, "System Safety," MIL-STD-882E, 2012, www.everyspec.com/MIL-STD/MIL-STD-0800-0899/MIL-STD-882E_41682



REFERENCES | RESOURCES | SOURCES
circuitcellar.com/ccmaterials

———, "Human Engineering," MIL-STD-1472F, 1999,
www.denix.osd.mil/ergoworkinggroup/upload/milstd14.pdf